

TECHNICAL DATASHEET TV12



VACUUM THERAPY DEVICE

Medical Device	class IIA	Annex IX rules 9 93/42 CEE
Medical Device	class II	Schedule I rules 9(1) SOR/98-282
Medical Device	class II	21 CFR part 870 § 870.5800



TECHNICAL SPECIFICATIONS

Weight	4 kg	Sizes	30 28 18 cm
Power	30 W	Voltage / Frequency	100 - 240 V / 47 - 63 Hz
Sound level	43 dB<l<46 dB	Pressure Range	Vacuum from -50 à -900 mBar
Pressure control	Manual	Suction Mode	Continuous or Alternative
Operating Temperature	+0°C to +40°C	Operating Relative Humidity	30% to 80%
Operating Atmospheric Pressure	70kPa to 106kPa	Storage Temperature	-5°C to +45°C
Storage Relative Humidity	30% to 80%	Storage Atmospheric Pressure	70kPa to 106kPa
Power supply (Medical grade)	GSM90A24-PIM Meanwell		

IEC 60601-1 : RIEC1200

Class II Device Type BF IP20

Pressure Regulation

Direct Control

Programs range

Continuous suction mode or Alternate between High and Low pressure regimen



Accessories Material	Connection
PVC - PMMA - PET	Front connector. Straight or Y-shape connection tube

Suction Cups	Innovation
Standard Round Ø 6-12-17-20-25-35-60-90 mm Flexible round Ø 10 mm Oval - Roller	High efficiency through precise manual control combined with safety of transparent suction cups

Indications	Contra-indications
<ul style="list-style-type: none"> - Traumatic or burn scars - Muscular or tendinous injuries - Face and body contouring 	<ul style="list-style-type: none"> - Inflammatory or Infectious disease in acute phase - Skin tumor - Open wound - Hematoma, erythema, bruises


Eureduc

19, rue de Clairefontaine - 78120 RAMBOUILLET - FRANCE

Tel.: +33 (0)1 34 61 01 61 - Email: info@eureduc.eu

www.eureduc.eu

ACCESSORIES

Ref.	Description	Sizes	
VM01	Rigid PVC	Ø 6 mm	
VM02	Flexible PVC	Ø 10 mm	
VM03	Rigid PMMA	Ø 12 mm	
VM04	Rigid PMMA	Ø 17 mm	
VM05	Rigid PET	Ø 35 mm	
VM06	Rigid PET	Ø 60 mm	
VM07	Rigid PET	Ø 90 mm	
VE01	Oval Rigid PET		
VE04	Roller Rigid PET		
VM08	Connecting Tube PVC	L = 3 m	
VM11	Y-Shaped Connecting Tube PVC	L = 1,1 m	
PN33F	Scar Kit		
PN33H	Accessories Kit		
PU03	Flexible Support		
PU11	Mobile Stand with Flexible Support	W=69cm X D=41cmX H=79cm	