

# Intermittent Pneumatic Compression



**Eureduc**  
Technologies to optimize physiotherapy

**Regain fluid balance**

**Lymphoedema and Chronic Venous Disease (CVD)**  
significantly impact patients' quality of life.

**Pressotherapy, also known as Intermittent Pneumatic Compression (IPC), is part of the standard of care to improve those chronic medical conditions.**

**Combined with Manual Lymphatic Drainage (MLD) for the more severe situations:**

Pressotherapy maximizes the therapist's session and increases MLD benefits.

**Meeting patients' need for more comfort**

Regular pressotherapy sessions - upon patient's request - relieve CVD symptoms.

**2/3 of the worldwide population**  
is affected by CVD <sup>(1)</sup>

**Over half million patients**  
diagnosed with Lymphoedema each  
year in the USA <sup>(2)</sup>

(1) RABE E, *Int Angiol.* 2012 Apr;31(2):105-15

(2) GENEVIEVE D, *Jour. des Mal. Vasc.* 2016; 41(2):112



# Pressotherapy by Eureduc

## Unique patented technology

The Automated Double Gradient Pressure (ADPG) ensures the right direction of the flow. The specific design of pneumatic accessories, boots and sleeves, allow efficient and comfortable homogeneous drainage.


## Standard of care <sup>(3)</sup>

IPC is recommended for its combined action on veins, lymphatic system and interstitial liquids, during a 30-minute session which doesn't require your permanent presence.

## High-quality and approved devices

Manufactured in France in compliance with ISO 13485, CE Medical certified and FDA approved with a 3-year warranty.

## IPC enhances Manual Drainage



*Szuba A, Achalu R, Rockson SG : Decongestive lymphatic therapy for patients with breast carcinoma-associated lymphedema. A randomized, prospective study of a role for adjunctive intermittent pneumatic compression. Cancer 2002, 95:2260-2267*

(3) Ferrandez JC et al. Kine. Sc. 2012; 534:17-31



Pressotherapy medical devices

CE Medical 0459 / Classe IIa

Manufacturer: Eureduc - 78 Rambouillet – France

Update: June 2019

Read the instructions carefully

Indications:

Œdemas, lymphœdemas, phleboœdemas, prevention of Deep Venous Thrombosis (DVT) and post-thrombotic syndrome, heavy legs, recovery after sports or surgery

Contraindications:

Acute DVT, erysipelas, lymphangitis, systemic decompensation, pressure urticaria.



19, rue de Clairefontaine  
78120 Rambouillet – France

Tél : +33 1 34 61 01 61

[info@eureduc.eu](mailto:info@eureduc.eu)

[www.eureduc.eu](http://www.eureduc.eu)